

3. PROGRAM CONSTANTS

Used for setting variables. All constants listed below (with the exception of StatMode constants) also appear in input forms.

The name in the **MATH** menu is always the same as the name that appears in the corresponding input form field. In some cases, the CHOOS-list that corresponds to the input form field will show longer names.

*The value of each constant is the same as its position in the **MATH** Menu (which is also the same as its position in the CHOOS-list).*

EXAMPLE: Degrees = 1, Radians = 2, and Grads = 3.

Overview of the PROGRAM CONSTANTS Menu

Angle	Format	SeqPlot
Degrees	Standard	Stairstep
Radians	Fixed	Cobweb
Grads	Sci	
	Eng	
	Fraction	
S1...5fit*	StatMode	StatPlot
Linear	Stat1Var	Hist
LogFit	Stat2Var	BoxW
ExpFit		
Power		
QuadFit		
Cubic		
Logist		
User		

* constants in S1...5fit category are used to set S1fit, ..., S5fit

CHOOS-list Versions of the Constant Names

Angle	Format	SeqPlot
Degrees	Standard	Stairstep
Radians	Fixed	Cobweb
Grads	Scientific	
	Engineering	
	Fraction	
<u>S1...5fit</u>	<u>StatPlot</u>	
Linear	Histogram	
Logarithmic	BoxWhisker	
Exponential		
Power		
Quadratic		
Cubic		
Logistic		
User Defined		